
Plate Compactors





Construction Starts Here

www.multiquip.com

One-Way Plate Compactors

Multiquip's Mikasa Brand Plate Compactors are recognized as the industry standard for compacting granular soils and asphalt.

Thousands of satisfied users know that Multiquip has it all—top performance, easy handling, low maintenance and long life.

Our best-selling plate now features an advanced anti-vibration handle design that reduces vibration to the operator by 50% compared to other plate compactors.

MVC88

Easy to use, easy to transport, the MVC-88 is the newest and most technically advanced compactor on the market.

Protective engine guard

Sealed belt cover keeps dirt and rocks out of the belt

Convenient oil drain for engine oil

Cog-tooth belt drive for longer life

Self-cleaning plate design minimizes dirt and rock build-up

Engine oil shutdown

Four lifting handles — plate can be lifted from the sides

Powered by a 5.5-HP Honda GX-160 or a 5.7-HP Robin EX-17 gasoline engine





UPA88A Urethane plate attachment for use on paving stones and brick pavers

13.7-qt. water tank

- Removable without tools
- · Largest in its class
- Self-contained water shut-off valve

(Also available without water tank.)

MVC88 3,450 lbs. centrifugal force

ANTI-VIBRATION HANDLE SYSTEM

There's a size and model for every application...

MVC64

- Perfect for small jobs or narrow areas
- Solid, high-strength steel base plate with curved edges provides top performance
- Extra-thick plate in back provides longer wear time
- Economical plate now features anti-vibration handle system
- Powered by Honda GX-120 or RobinEX-13 engine
- Optional water tank for asphalt use

MVC40G

MVC40G

Tubular steel roll bar cage protects

lifting point

trenches

Powered by Robin engine

engine components and provides a

Heavy-duty steel base plate — closed

Only 11.4" wide — ideal for narrow

design, ribbed for extra strength

1,573 lbs. centrifugal force



MVC90

MVC-90 incorporates more standard features than any other compactor in the industry.



MVC90 3,350 lbs. centrifugal force

- Tubular steel roll bar cage protects engine components and provides a lifting point
 - Powered by Robin or Honda engines with oil alert and double V-belt drive
 - Heavy-duty steel base plate closed design, ribbed for extra strength
 - Durable steel water-distribution system

MVC80

- New model with antivibration handle
- Economical price tag
- Solid, high-strength steel base plate with curved edges for excellent performance and smooth turns on hot asphalt
- Powered by Robin or Honda engine
- Optional impact-resistant plastic water tank

MVC80

3,080 lbs. centrifugal force

MVC98D2



MVC98D2 Diesel powered 3,350 lbs. centrifugal force

- Tubular steel roll bar cage protects engine components and provides a lifting point
- Powered by Yanmar diesel engine engine
- Self-cleaning plate design minimizes dirt and rock build-up
- Durable 13.7 quart water tank (also available without water tank.)



Multiquip's Mikasa Brand Reversible Plate Compactors are the ideal high-production machines for efficient compaction of sand, gravel and cohesive soils.

In addition to some of the standard vibratory plate features, reversible plates have two eccentric weights which increase the compaction force while creating a smooth transition between forward and reverse travel.

MVH200

Choice of Honda gasoline or Yanmar diesel engine

Oil-bath vibrator for low maintenance



Heavy-duty vibrator bearings for long life

High-strength steel base plate with curved edges for top performance

Tikas

MVH200 7,056 lbs. centrifugal force

Throttle



Diagonal heavy-duty shock mounts protect engine and operator from excessive vertical and horizontal vibrations



Open base plate design allows rocks and dirt to slide off the plate for easier cleanup Simple, easy-to-use controls allow direction to be changed at full RPM with the flip of a lever

Reverse

Forward

Ultra-simple hydraulic reversing process





Multiquip's Brand Reversible Plate Compactors incorporate a unique hydraulic reversing mechanism, eliminating oldfashioned linkage adjustments.

There are no complicated mechanical drive shafts or cables to create problems, thus greatly reducing service time and expense.



Extension plates increase working area by 6" (included with MVH306, 402, 406, 502 and 702 series models)

Adjustable handle height for operator comfort reduces fatigue with the turn of a knob

Handle folds to 90° position for ease of transportation and storage

The high-performance heavyweights



12,400 lbs. compaction force for high productivity

- Extension plates allow for additional utilization in different applications (standard equipment)
- MVH402 is powered by a Honda 13-HP gasoline engine; MVH406 is powered by either a Yanmar 10-HP diesel engine or Hatz/Subaru 9.7-HP diesel engine.
- Honda model is recoil start. Yanmar model is electric start with a recoil backup

MVH502

14,000 lbs. centrifugal force

MVH406

12,400 lbs. centrifugal force

Multiquip reversible plate compactors are perfect for difficult jobsite conditions—can be backed out of a trench while still compacting

MVH502

- 14,000 lbs. compaction force for high productivity
- Extension plates provide versatility for various applications (standard equipment)
- Powered by dependable Hatz 14.3-hp engine
- Electric start with hand-crank backup



Multiquip's MVH306 is ideal for asphalt stamping jobs.

WVH702

- Infrared remote control system for deep trench work
- Joystick operates as a "deadman" control system for safety purposes, moving to neutral position when released

MVH702

18,000 lbs. centrifugal force

- Optional 6" extension plates available, increasing width to 37.5"
- Fully enlcosed frame protects components from damage caused by dirt and rocks

Plate Compactor Specifications

Model	Plate Size WxL in. x in. (cm x cm)	Size With Extensions WxL in. x in. (cm x cm)	Centrifugal Force lbs. (kg)	Exciter Speed RPM	Max. Fwd. Speed ft./min. (m/min)	Engine Model	Fuel Type	HP Rating BHP (kw)	Water Tank Capacity qt. (Itr)	Operating Weight Ibs. (kg)
One-Way Plate Compactors										
MVC40G	11.4x16.5 (29x42)	N/A	1,618 (730)	6,200	82 (25)	Robin EH-09	Gas	2.4 (1.8)	N/A	118 (44)
MVC64VH	13.8x21.3 (35x54)	N/A	2,275 (1032)	5,600	82 (25)	Honda GX-120	Gas	4.0 (2.9)	N/A	151 (68)
MVC64VHW	13.8x21.3 (35x54)	N/A	2,275 (1032)	5,600	82 (25)	Honda GX-120	Gas	4.0 (2.9)	8.8 (8.3)	157 (71)
MVC80VE	17.1x22 (45x57)	N/A	3,080 (1400)	5,600	72 (22)	Robin EX-17	Gas	5.7 (4.3)	N/A	174 (79)
MVC80VEW	17.1x22 (45x57)	N/A	3,080 (1400)	5,600	72 (22)	Robin EX-17	Gas	5.7 (4.3)	11.5 (10.9)	179 (80)
MVC80VH	17.1x22 (45x57)	N/A	3,080 (1400)	5,600	72 (22)	Honda GX-160	Gas	5.5 (4.2)	N/A	174 (79)
MVC80VHW	17.1x22 (45x57)	N/A	3,080 (1400)	5,600	72 (22)	Honda GX-160	Gas	5.5 (4.2)	11.5 (10.9)	180 (80)
MVC88VGE	19.7x20.7 (50x53)	N/A	3,450 (1565)	6,000	72 (22)	Robin EX-17	Gas	5.7 (4.3)	N/A	214 (97)
MVC88VGEW	19.7x20.7 (50x53)	N/A	3,450 (1565)	6,000	72 (22)	Robin EX-17	Gas	5.7 (4.3)	11.5 (10.9)	217 (98)
MVC88VGH	19.7x20.7 (50x53)	N/A	3,450 (1565)	6,000	72 (22)	Honda GX-160	Gas	5.5 (4.2)	N/A	212 (96)
MVC88VGHW	19.7x20.7 (50x53)	N/A	3,450 (1565)	6,000	72 (22)	Honda GX-160	Gas	5.5 (4.2)	11.5 (10.9)	218 (99)
MVC90L	19.6x22 (50x56)	N/A	3,350 (1520)	5,800	82 (25)	Robin EH-17	Gas	6.0 (4.4)	4 (3.8)	197 (89)
MVC90H	19.6x22 (50x56)	N/A	3,350 (1520)	5,800	82 (25)	Honda GX-160	Gas	5.5 (4.2)	4 (3.8)	194 (88)
MVC908D2	19.6X22 (50X56)	n/a	3,350 (1520)	6,000	72 (22)	Yanmar L-48	Diesel	4.7 (3.5)	13.7 (13.0)	218 (99)
Reversible Plate Compactors										
MVHR60H	13.8x18.9 (35x48)	N/A	3,372 (1530)	6,000	82 (25)	Honda GX-120	Gas	4 (3.1)	7.5 (6.9)	141 (64)
MVHR60HW	13.8x18.9 (35x48)	N/A	3,372 (1530)	6,000	82 (25)	Honda GX-120	Gas	4 (3.1)	7.3 (8.3)	159 (72)
MVH120GH	15.7x23 (40x58)	N/A	5,200 (2350)	6,000	75 (23)	Honda GX-120	Gas	5.5 (4.2)	N/A	247 (111)
MVH150GH	17x26 (43x70)	N/A	6,620 (3002)	5,600	75 (23)	Honda GX-200	Gas	6.5 (4.9)	N/A	331 (150)
MVH150D	17x26 (43x70)	N/A	6,620 (3002)	5,600	75 (23)	Yanmar L48AE**	Diesel	4.7 (3.5)	N/A	357 (162)
MVH200GH	20x27.6 (51x70)	N/A	7,056 (3200)	5,200	75 (23)	Honda GX-240	Gas	8.0 (5.9)	N/A	423 (192)
MVH200DA2	20x27.6 (51x70)	N/A	7,056 (3200)	5,200	75 (23)	Yanmar L70EE**	Diesel	6.7 (4.9)	N/A	449 (204)
MVH306GH	18x34 (45x86)	24*x34 (61x86)	10,125 (4592)	3,600	75 (23)	Honda GX-270	Gas	9.0 (6.7)	N/A	706 (320)
MVH306DS2	18x34 (45x86)	24*x34 (61x86)	10,125 (4592)	3,600	75 (23)	Yanmar L-70V**	Diesel	7.0 (5.3)	N/A	725 (328)
MVH402GHB	22x35 (55x90)	28*x35 (70x90)	12,400 (5624)	4,200	75 (23)	Honda GX-390	Gas	13.0 (7.4)	N/A	918 (416)
MVH406DSY	22x35 (55x90)	28*x35 (70x90)	11,240 (5100)	4,200	75 (23	Yanmar L-100V**	Diesel	10.0 (7.4)	N/A	968 (440)
MVH406DSZ	22x35 (55x90)	28"x35 (70x90)	12,400 (5624)	4,200	75 (23)	Hatz/Robin 1B40	Diesel	10 (7.2)	N/A	1,003 (455)
MVH502DSB2	22x35 (55x90)	28*x35 (70x90)	14,000 (6350)	4,200	75 (23	Hatz 1D81S**	Diesel	14.3 (10.6)	N/A	1,122 (510)
MVH702DS‡	25.6x42.5 (65x108)	31.5*x42.5 (80x108)	18,000 (8163)	3,000	92 (28)	Farymann 43F**	Diesel	15.5 (11.4)	N/A	1,545 (700)

* Extension plates are included with the MVH306, 406, 502 and 702 series, increasing plate width to specified size.

** Oil alarm is not available on diesel-powered models

Optional 6" extensions for the MVH702 increase width to 37.5" (95 cm)

Your Multiquip dealer is:



MULTIQUIP INC. POST OFFICE BOX 6254 CARSON, CA 90749 310-537-3700 • 800-421-1244 FAX: 310-537-3927 E-MAIL: mq@multiquip.com www.multiquip.com

All features and specifications are subject to change without notice. MQ-MPC-1124 Rev. H (04-06) $\,$